

Data sheet

IGNITE NEON





GENERAL

Art. no.:	G-1153-XXL/5XL	E-class number:	40-02-01-02
EAN:	4030281292982	Customs no.:	63079098
Standard:	EN 358:2018 EN 361:2002 EN 813:2008		



Data sheet

IGNITE NEON

The IGNITE NEON combines everything needed for a high-quality rope access harness. It has an integrated chest ascender and its own gray loops for attaching the seat board. The built-in attachment points have the IGNITE series color concept: Bright orange for the attachment points in compliance with EN 361, grays for the positioning and sitting attachment points. The high-quality, padded waist harness can be easily adjusted, as can the flexible leg connections, which have high wearing comfort because of the dual adjustment options. Once adjusted, you can depend on it to hold the desired length. Breathable and removable padding as well as the stitched belt straps in the shoulder area prevent heavy sweating or cutting into your neck. The smallest size has two gear loops, the others have four.

- Comfortable harness for rope access applications
- Integrated chest ascender with certified 140 kg
- Flexible adjustment options

FEATURES

Fall indicator			
Shoulder or leg padding:	yes		
Hand-washing:	40 °C		
Click buckles:	yes		
Synthetic Slide Plate:	yes		
Lanyard Parking-Rings:	yes		
Gear loop:	yes		
Max. service life:	10 Years		
Max. number of persons:	1		
Rated load:	140		
Attachment Points:			

dorsal attachment point, sternal attachment point, pole strap attachment point

Back support: yes
Temperature: from 45 °C to -35 °C

Area of application:

Confined Spaces, Facade / Window Cleaning, Fire brigade / Rescue / Special Forces, Flachdachbau, High Rack, Lift Construction, Mobile Work Platforms, Rope Access / Rigging

Tool loop: yes



DIMENSIONS

Size: XXL/5XL
Waist size: 110-167cm
Weight: 3,1 kg

MATERIAL

Material:

Polyester, Aluminium, Steel

Webbing material: Polyester

Sternal attachment point material:

Aluminium

Pole strap attachment point material:

Aluminium

Dorsal attachment point material:

Aluminium

Restraint travelling attachment point material:

Aluminium

Climbing protection eyelet material:

Steel

Material Click buckle: Stainless Steel