

Data sheet

IGNITE ARGON





GENERAL

| Art. no.: | G-AUS-1133-XS/M | E-class number: | 40-02-01-02 | |
|-----------|-----------------|-----------------|-------------|--|
| EAN: | 4030281227168 | Customs no.: | 63079098 | |



Data sheet

IGNITE ARGON

A solid safety harness for rope access that impresses through many improvements in ergonomics and usability with very high wearing comfort. In developing this special safety harness in V-design, great importance was attached to ergonomic adjustments and optimum freedom of movement. The extremely flexible leg joint is a major contributor to this achievement. The retaining eyelets adapted to the body shape cling perfectly to the hip in folded and unfolded state. In addition, the anatomically shaped leg and hip padding ensures that no pressure points develop when sitting in the safety harness even during long working days. This makes the IGNITE ARGON a true comfort miracle.

Perfectly adjustable safety harness for rope access:

- anatomically shaped padding for maximum wearing comfort
- chest eyelet for belay, but also for rescue
- optimal freedom of movement without pressure points

GENERAL

Internat. standard: AS/NZS 1891.1:2007

FEATURES

Fall indicator

| Shoulder or leg padding: | yes |
|--------------------------|----------|
| Belt strap coiler: | yes |
| Hand-washing: | 40 °C |
| Click buckles: | yes |
| Lanyard Parking-Rings: | yes |
| Gear loop: | yes |
| Max. service life: | 10 Years |
| Max. number of persons: | 1 |
| Rated load: | 140 KG |
| | |

Attachment Points:

dorsal attachment point, sternal attachment point, pole strap attachment point, seat attachment point

| Patent | | |
|---------------|----------------------|--|
| Back support: | yes | |
| Temperature: | from 45 °C to -35 °C | |
| A | | |

Area of application:

Confined Spaces, Facade / Window Cleaning, Fire brigade / Rescue / Special Forces, Power Supplies / -Transmission / Telecommunications, Rope Access / Rigging, Rope Courses, Scaffolding, Wind Energy / Offshore Industry



DIMENSIONS

Size: XS/M Weight: 3,30 kg

MATERIAL

Material:

Polyester, Aluminium, Steel

Webbing material: Polyester

Sternal attachment point material:

Aluminium

Pole strap attachment point material:

Aluminium

Dorsal attachment point material:

Aluminium

Seat attachment point material:

Aluminium

Material Click buckle: Stainless Steel